

Items	Origin	DIN 18650-1	DIN 18650-2	EN 16005	EN ISO 13849	EN 60335	EMC directives	Durability test - cycles	TÜV certificate
Airdrive68NG/FR	German	Y	Y	Y	Y	Y	Y	1.5 million	In process
Airdrive68NG	German	Y	Y	Y	Y	Y	Y	1.5 million	In process
Airdrive68NG/H	German	Y	Y	Y	Y	Y	Y	1 million	N
Airdrive68EC	German	Y	Y	Y	Y	Y	Y	1 million	N
Airdrive68PR	German	Y	Y	Y	Y	Y	Y	1 million	N
SLH240ES	German	Y	Y	Y	Y	Y	Y	1 million	Y
SLH240/H	German	Y	Y	Y	Y	Y	Y	1 million	N
SLH240	German	Y	Y	Y	Y	Y	Y	1 million	Y
SLH239	German	Y	Y	Y	Y	Y	Y	1 million	Y
TL240ES	German	Y	Y	Y	Y	Y	Y	1 million	Y
TI240	German	Y	Y	Y	Y	Y	Y	1 million	Y
Bo240	German	Y	Y	Y	Y	Y	Y	1 million	Y
Primedrive/FR	German	Y	Y	Y	Y	Y	Y	1 million	Y
Primedrive240	German	Y	Y	Y	Y	Y	Y	1 million	Y
Primedrive/H	German	Y	Y	Y	Y	Y	Y	1 million	N
Primedrive239	German	Y	Y	Y	Y	Y	Y	1 million	Y
Holux S150	German	N	N	Y	Y	Y	N	1 million	Y
Holux X4	German	N	N	Y	Y	Y	N	1 million	N
Holux X3	German	N	N	Y	Y	Y	N	1 million	N
Holux X2	German	N	N	N	Y	Y	N	N	N

Items	Origin	Cover height (mm)	Cover depth (mm)	Max door leaf weight single (kg)	Max door leaf weight Double (kg)	Motor origin	Motor power (W)	No. Of motors	Control box origin	No. Of Control box
Airdrive68NG/FR	German	68	135	150	2x130	German Dunker	100	2	German	2
Airdrive68NG	German	68	135	150	2x130	German Dunker	100	1	German	1
Airdrive68NG/H	German	68	135	170	2x150	German Dunker	100	2	German	1
Airdrive68EC	German	68	135	100	2x80	German Dunker	50	1	German	1
Airdrive68PR	German	68	135	120	2x90	German Dunker	100	1	German	1
SLH240ES	German	155	160	200	2x150	German Dunker	100	2	German Lessys	2
SLH240/H	German	155	160	500	2x300	German Dunker	100	2	German Lessys	1
SLH240	German	155	160	200	2x150	German Dunker	100	1	German Lessys	1
SLH239	German	155	160	150	2x100	German Dunker	50	1	German Lessys	1
TL240ES	German	155	160	2x150	4x100	German Dunker	100	2	German Lessys	2
TI240	German	155	160	2x150	4x100	German Dunker	100	1	German Lessys	1
Bo240	German	155	160	200	2x150	German Dunker	100	1	German Lessys	1
Primedrive/FR	German	100	174	200	2x150	German Dunker	100	2	German	2
Primedrive240	German	100	174	200	2x150	German Dunker	100	1	German	1
Primedrive/H	German	100	174	400	2x250	German Dunker	100	2	German	1
Primedrive239	German	100	174	150	2x100	German Dunker	50	1	German	1
Holux S150	German	100	174	200	2x150	German Dunker	100	1	German	1
Holux X4	German	120	150	200	2x150	German Dunker	100	1	German	1
Holux X3	German	120	150	150	2x100	German Dunker	50	1	German	1
Holux X2	German	100	175	120	2x90	German Dunker	50	1	German	1

Items	Origin	Rollers material	No. of rollers per hanger	No. of hangers per leaf	Profile set components	Length of profile set	Track profile material	Rail profile material	Battery (optional)	Max. cycles by Battery	Back up battery (emergency exit)
Airdrive68NG/FR	German	PU	4	2	Track, rail, rubber cover, ceiling	4m-4.5m 5m-5.9m	Steel	Aluminum	N/A	N/A	Y
Airdrive68NG	German	PU	4	2	Track, rail, rubber cover, ceiling	4m-4.5m 5m-5.9m	Steel	Aluminum	2.2 Ah	400	N
Airdrive68NG/H	German	PU	4	3	Track, rail, rubber cover, ceiling	4m-4.5m 5m-5.9m	Steel	Aluminum	2.2 Ah	400	N
Airdrive68EC	German	PU	4	2	Track, rail, rubber cover, ceiling	4m-4.5m 5m-5.9m	Aluminum	Aluminum	2.2 Ah	400	N
Airdrive68PR	German	PU	4	2	Track, rail, rubber cover, ceiling	4m-4.5m 5m-5.9m	Steel	Aluminum	2.2 Ah	400	N
SLH240ES	German	PA	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel	Aluminum	N/A	N/A	Y
SLH240/H	German	PA	3	3	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel	Aluminum	7.2 & 2.2 Ah	400-800	N
SLH240	German	PA	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel & Aluminum	Aluminum	7.2 & 2.2 Ah	400-800	N
SLH239	German	PA	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel & Aluminum	Aluminum	7.2 & 2.2 Ah	400-800	N
TL240ES	German	PA	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel	Aluminum	N/A	N/A	Y
TI240	German	PA	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel & Aluminum	Aluminum	7.2 & 2.2 Ah	400-800	N
Bo240	German	PA	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel	Aluminum	7.2 & 2.2 Ah	400-800	N
Primedrive/FR	German	PU	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel	Aluminum	N/A	N/A	Y
Primedrive240	German	PU	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel & Aluminum	Aluminum	2.2 Ah	400	N
Primedrive/H	German	PU	3	3	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel	Aluminum	2.2 Ah	400	N
Primedrive239	German	PU	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel & Aluminum	Aluminum	2.2 Ah	400	N
Holux S150	German	PU	3	2	Track, rail, rubber, cover	4m-4.5m 5m-5.9m	Steel	Aluminum	2.2 Ah	400	N
Holux X4	German	PA	3	2	Track, rail, rubber, cover	4m-4.5m 5m-6m	Aluminum	Aluminum	2.2 Ah	400	N
Holux X3	German	PA	3	2	Track, rail, rubber, cover	4m-4.5m 5m-6m	Aluminum	Aluminum	2.2 Ah	400	N
Holux X2	German	PU	2	2	Track, rail, rubber, cover	3.6m	Aluminum	Aluminum	2.2 Ah with battery module (option) (1000001045)	400	N

Items	Origin	Preferred sensor	Ssensor test signal check	Motor power lock	Possibility of digital key LCD	Possibility of digital key LED	Possibility of Lock
Airdrive68NG/FR	German	IXIO DT-1 IXIO DT-3	Y	Y	Y	Y	Y
Airdrive68NG	German	VIO VIO	Y	Y	Y	Y	Y
Airdrive68NG/H	German	IXIO DT-1 IXIO DT-1	Y	Y	Y	Y	Y
Airdrive68EC	German	Optex flex Optex flex	Y	Y	Y	Y	Y
Airdrive68PR	German	Optex flex Optex flex	Y	Y	Y	Y	Y
SLH240ES	German	IXIO DT-1 IXIO DT-3	Y	Y	Y	Y	Y
SLH240/H	German	IXIO DT-1 IXIO DT-1	Y	Y	Y	Y	Y
SLH240	German	VIO VIO	Y	Y	Y	Y	Y
SLH239	German	VIO VIO	Y	Y	Y	Y	Y
TL240ES	German	VIO VIO	Y	Y	Y	Y	Y
TI240	German	VIO VIO	Y	Y	Y	Y	Y
Bo240	German	VIO VIO	Y	Y	Y	Y	Y
Primedrive/FR	German	IXIO DT-1 IXIO DT-3	Y	Y	Y	Y	Y
Primedrive240	German	VIO VIO	Y	Y	Y	Y	Y
Primedrive/H	German	IXIO DT-1 IXIO DT-1	Y	Y	Y	Y	Y
Primedrive239	German	Optex flex Optex flex	Y	Y	Y	Y	Y
Holux S150	German	Optex flex Optex flex	Y	Y	Y	Y	Y
Holux X4	German	combo zen/zensafe	Y	Y	Y	Y	Y
Holux X3	German	combo zen/zensafe	Y	Y	Y	Y	Y
Holux X2	German	combo zen/zensafe	N	Y	Y with RS485 module (1000001045)	Y with RS485 module (1000001045)	Y with lock module (1000001044)

Items	Origin	Integ./Exter. power supply	Power supply power (VA)	Possibility of telescopic	Low energy mode	Suitable frames
Airdrive68NG/FR	German	External	130VA	N	Y	Air-TBS ,TBS,UTS, Saturn,Frameless
Airdrive68NG	German	External	130VA	N	Y	Air-TBS ,TBS,UTS, Saturn,Frameless
Airdrive68NG/H	German	External	260VA	N	Y	Air-TBS ,TBS,UTS, Saturn,Frameless
Airdrive68EC	German	External	65VA	N	N	Air-TBS ,TBS,UTS, Saturn,Frameless
Airdrive68PR	German	External	130VA	N	N	Air-TBS ,TBS,UTS, Saturn,Frameless
SLH240ES	German	External	120VA	Y	N	THB,TBS,UTS, Saturn,frameless
SLH240/H	German	External	240VA	Y	N	THB,TBS,UTS, Saturn,frameless
SLH240	German	External	120VA	Y	N	THB,TBS,UTS, Saturn,frameless
SLH239	German	External	120VA	N	N	THB,TBS,UTS, Saturn,frameless
TL240ES	German	External	120VA	N/A	N	THB,TBS,UTS, Saturn,frameless
TI240	German	External	120VA	N/A	N	THB,TBS,UTS, Saturn,frameless
Bo240	German	External	120VA	N/A	N	THB,TBS,UTS, Saturn,frameless
Primedrive/FR	German	External	120VA	N	N	THB,TBS,UTS, Saturn,frameless
Primedrive240	German	External	120VA	N	N	THB,TBS,UTS, Saturn,frameless
Primedrive/H	German	External	240VA	N	N	THB,TBS,UTS, Saturn,frameless
Primedrive239	German	External	120VA	N	N	THB,TBS,UTS, Saturn,frameless
Holux S150	German	Integrated	110VA	N	N	THB,TBS,UTS, Saturn,frameless
Holux X4	German	Integrated	110VA	N	N	THB,TBS,UTS, Saturn,frameless
Holux X3	German	Integrated	60VA	N	N	THB,TBS,UTS, Saturn,frameless
Holux X2	German	Integrated	50VA	N	N	THB,TBS,UTS, Saturn,frameless